

# अखित भारतीय आपुर्विज्ञान संस्थान पटना

## ALL INDIA INSITUTE OF MEDICAL SCIENCES PATNA



Website: http://www.aiimspatna.org

Participant ID	
Participant Name	
Test Center Name	
Test Date	
Test Time	
Subject	

Section: Anatomy and Physiology

Q.1 Which of the following is the largest cranial nerve?

Ans

X 1. Cranial nerve VII

2. Cranial nerve V (trigeminal)

X 3. Cranial nerve X

X 4. Cranial VI

Question Type: MCQ

Question ID: 810592213

Status: Answered

Chosen Option: 2

Q.2 Oxytocin is mainly involved in which of the following functions?

Ans

X 1. Growth and mental ability

X 2. Motor skills


X 3. Regulation of blood pressure


4. Childbirth and lactation


Question Type: MCQ

Question ID: 810592211


Status: Answered







X 2.5	in the spinal cord?	.0	
X 3, 12	SEO.	IL	
X4.9			_00
SC	76	Question Type: MCQ Question ID: 810592207	A.
101c	25° (4	Status : Answered	
7		Chosen Option : 1	
Q.16 Carpometacarpal joint is an example Ans 1. Hinge	e of which of the following types of jo	ints?	
₹ 2. Saddle			
X 3. Ball and socket	6	20,	
X 4. Pivot	CX C	16	OF
and the same of th	38° F	Question Type: MCQ	$\overline{}$
The s	4	Question ID : 810592214	
10,	3	Status : Answered Chosen Option : 4	
Q.17 Which of the following hormones is	MOT assessed from the sisterior of oil	tand A	
Ans X 1. Human growth hormone	NOT secreted from the anterior pitun	The state of the s	
X 2. Adrenocorticotropin	1/1/5		
✓ 3. Oxytocin	- Fr	250	
X 4. Profactin		21. "To	
		Question Type: MCQ	
	76	Question ID: 810592208 Status: Answered	- 1
	~(0)	Chosen Option : 3	
Q.18 The apex of the heart is formed mo	stly by the:	(Q)-2	.6
Anx X 1. right atrium	Q(V)	70,	
× 2. left atrium	200		~
a # 2 Saftacantalala	6.		
3. left ventricle	~(0)	de.	
X 4. central ventricle		Question Type: MCQ	
	,50		- 2
		Question ID : 810592205 Status : Answered	
	a Office		10
	QQ(KESS)	Status : Answered	400
	- ROKES	Status : Answered	47.0
	QDOFFES Q	Status : Answered	4



## Widal, a serological test, is used to detect the presence of which of the following pathogenic microorganisms? Mycobacterium tuberculosis 2. Salmonella typhi 3. E. Coli X 4. Haemophilus influenza Question Type: MCQ Question ID: 810592224 Status: Answered Chosen Option: 2 Q.4 The causative agent of Lyme disease is: Anu 1. Borrelia burgdorferi Z. Trypnosoma brucei gamiense. X 3. Rickettsia prowazekii 4. Alphavirus Question Type: MCQ Question ID: 810592230 Status: Answered Chosen Option: 1 Q.5 What is the optimum temperature in an autoclave to achieve sterility? 1.34 °C for 30 minutes 2. 121 °C for 30 minutes 3, 27 °C for 20 minutes 4, 60 °C for 30 minutes Question Type: MCQ Question ID: 810592225 Status: Answered Chosen Option: 2 Q.6 Rod-shaped bacteria are called: Ans 1. Cocci 2. Bacillus 3. Clusters 4. Spirochetes Question Type: MCQ Question ID: 810592221 Status: Answered Chosen Option: 1

# Q.7 Which of the following involves the introduction of antibodies into the body from an animal or person already immune to the disease?

Ans 1. Naturally acquired passive immunity

- 2. Artificially acquired passive immunity
- 3. Active immunity
- 4. Innate immunity

Question Type : MCQ Question ID : 810592226 Status : Answered

Chosen Option: 3

#### Q.B. Who among the following devised the autoclave used for sterilisation?

Ans 1. Robert Koch

- 2. Edward Jenner
- 3. Anton van Leeuwenhoek
- 4. Charles Chamberland

Question Type: MCQ Question ID: 810592223 Status: Answered

Chosen Option: 1

#### Q.9 Which of the following microorganisms causes gonorrhoea?

Ans 1. Neisseria gonorrhoeae

- 2. Streptococcus pneumoniae
- 3. Stereotypist gonorrhoeae
- 4. Stylus gonormoeae

Question Type: MCQ Question ID: 810592222 Status: Answered

Chosen Option: 1

#### Q.10 Type I hypersensitivity is mediated by:

Ans 1. IgA

2. igM

3. lgE

4. lgG

Question Type: MCQ Question D 810592229 Status: Answered

Chosen Option: 3

Section : Sociology

#### Q.1 Who said that man is a social animal?

- Ans 1. Auguste Comte
  - 2. Maciver
  - 3. Ginseberg
  - 4. Aristotle

Question Type: MCQ Question ID: 810592234 Status: Answered

Chosen Option: 4

#### Q.2 Providing education to the school, college and street children on prevention of drug addiction is an example of \_\_\_\_\_ prevention.

Ans 1. tertiary

- 2. primary
- 3. secondary
- 4. primordial

Question Type: MCQ Question ID: 810592238 Status : Answered

Chasen Option: 2

## Q.3 Who is considered as the father of sociology?

1. Emile Durkheim

- 2. Kingsley Davis
- 3. Auguste Comte
- 4. Maciver

Question Type: MCQ Question ID: 810592231 Status: Answered

Chasen Option: 3

#### Q.4 Socialisation is a process involving:

Ans 1. Inducting people to adapt in society

- 2. Normalisation of criminals and anti-social elements
- 3. setting up the social norms
- 4. declaring everything as belonging to society

Question Type: MCQ Question D: 810592236

Status: Answered

#### Q.5 Polyandry means:

Ans 1, a form of marriage that joins one male with more than one female

- 2. a form of marriage that joins one female with more than one male
- 3. a form of marriage that joins one female with one male
- 4. getting married in the same blood group

Question Type: MCQ Question ID: 810592233 Status: Answered

Chosen Option: 2

#### Q.6 Caste status is an example of which of the following status?

- Ans 1. Ascribed
  - 2. General
  - 3. Monetary
  - 4. Achieved

Question Type: MCQ Question ID: 810592239 Status: Not Answered

Chosen Option: --

Any small group marked by continuous close interaction of a highly personal and emotionally supportive nature is called a/an \_\_\_

1, reference

- 2. secondary
- 3. primary.
- 4. interest

Question Type: MCQ

Question ID: 810592232

Status: Answered

Chosen Option: 3

#### Q.8 The general process of acquiring culture is referred to as:

Ans 1. Diffusion

- 2. Socialisation
- 3. Dispersion
- 4. Acculturation

Question Type: MCQ

Question D: 810592237

Status: Answered

As per 2011 census survey, \_\_\_\_\_ per cent of the population of India suffer from disability (in the identified 8 categories). Ans 1.221 2.3.1 3.1.2 4.25 Question Type: MCQ Question ID: 810592240 Status: Answered Chosen Option: 1 Q.10 Which of the following is NOT a stage of socialisation? Ans 1. Oral stage 2. Despair stage 3. Latency stage 4. Oedipal stage Question Type: MCQ Question ID: 810592235 Status : Answered Chosen Option: 2 Section: Nursing Foundations Q.1 Inflammation of the oral mucosa is known as: Ans 1. Glossitis 2. Gingivitis 3. Stomatitis 4. Parotitis Question Type: MCQ Question ID: 810592277 Status: Answered Chosen Option: 3 Q.2 Insertion of a tube inside the stomach through the nose is called nasogastric Ans 1. Irrigation 2. Urigation 3. Intubation 4. Extubation Question Type: MCQ Question ID: 810592253 Status : Answered Chosen Option: 3

#### Q.3 A group of symptoms is known as:

- Ans 1. Signs
  - 2. Syndrome
  - 3, group symptoms
  - 4, clinical manifestations

Question Type: MCQ Question ID: 810592259 Status: Answered

Chosen Option: 2

#### Q.4 Which of the following medication orders are for every other day?

- Ans 1. god
  - 2. bid
  - 3. qd
  - 4. qh

Question Type: MCQ Question ID: 810592262 Status : Answered

Chosen Option: 3

## Q.5 Which of the following is NOT an example of dry cold application?

Ans

- 1. Ice bag
- 2. Cold compress
- 3. loe pack
- 4. loe cradle

Question Type: MCQ

Question ID: 810592258 Status: Answered

Chosen Option: 2

## Q.6 In which of the following positions is the patient at greatest risk of shearing force?

- 1. Lying supine in bed
- 2. Trendelenburg position
- 3. Semi-Fowler's position
- 4. High-Fowler's position

Question Type: MCQ Question ID: 810592247

Status: Not Answered

Chasen Option: --

	- HITT
2.7 3.3	EQ. 14
4.1	-O1 5/11
40	0
02,	Question Type: MCQ Question ID: 810592280
101	Status : Answered
1 X	Chosen Option : 3
Q.8 Following death, the subjective response experies	nced by the surviving loved ones is
called:	XXX
Ans 1 grief 2 mourning	
3. compliance	
4. bereavement	The Officer
	C. C.
The To	Question Type: MCQ
10,	Question ID : 810592268 Status : Answered
D. 71	Chosen Option : 2
4. Chloride	Tin, To,
(0)	Question Type: MCQ
5	Question ID : 810592275 Status : Answered
	Chosen Option : 3
Q.10 Temperature of 98.7 degree Fahrenheit is approx	imately equal to degree
Celsius. Ans 1.37.56	C. TO.
2.36.52	100
3. 37.06	The To
	(0)
4.38.16	CS VA
4.38.16	
4.38.16	Question Type: MCQ
4.38.16	Question ID : 810592254 Status : Answered
4.38.16	Question ID : 810592254
4.38.16	Question ID : 810592254 Status : Answered
4.38.16	Question ID : 810592254 Status : Answered

#### Q.11 Kussmaul breathing is associated with:

- Ans 1. Atelectasis
  - 2. Heart failure
  - 3. Diabetic ketoacidosis
  - 4. Bronchial asthma

Question Type: MCQ Question ID: 810592252 Status: Answered

Chosen Option: 3

## Q.12 Which of the following medication orders is administered immediately and only

Ans 1. PRN order

- 2. Single order
- 3. Standing order
- 4. Stat order

Question Type: MCQ Question ID: 810592243 Status : Answered Chasen Option: 4

#### Q.13 The gradual decrease in body's temperature after death is called:

- 1. rigor mortis
- 2. stiff mortis 3. algor mortis
- 4. livor mortis

Question Type: MCQ Question ID: 810592272 Status: Answered

Chosen Option: 3

## Q.14 In a healthy individual, weighing 70 kg at rest, the stroke volume is about:

Ans 1.100 ml

- 2, 50 ml
- 3.150 ml
- 4.70 ml

Question Type: MCQ Question D: 810592255 Status: Answered

# Q.15 A patient is to receive 1000 mL of IV fluid in 6 hours. The drop factor is 15 drops per mL. At approximately how many drops per minute should the flow rate be set?

Ans 1. 42 drops/min

- 2.33 drops/min
- 3.55 drops/min
- 4.21 drops/min

Question Type: MCQ Question ID: 810592245 Status: Answered

Chosen Option: 1

#### Q.16 Difference between systolic and diastolic blood pressure is called:

Ans 1, pulse pressure

- 2. pulse range
- 3. pulse length
- 4. pulse deficit.

Question Type: MCQ Question ID: 810592242 Status : Answered

Chasen Option: 1

#### Q.17 Rhythmic waxing and waning of respiration is called:

1. Cheyne-Stokes respiration

- 2. Hypoventilation
- 3. Orthopnoea
- 4. Hyperventilation

Question Type: MCQ Question ID: 810592267 Status: Answered

Chosen Option: 4

#### Q.18 Formula to calculate BMI is:

Ans 1. weight in kg divided by square of height in feet

- 2. weight in kg divided by height in feet
- 3. weight in kg divided by square of height in metres
- 4. weight in kg divided by height in metres

Question Type: MCQ Question D: 810592251 Status: Answered

#### Q.19 The sudden fall of temperature from high to normal within a few hours is called:

Ans 1. Hypothermia

- 2. True crisis
- 3. Lysis
- 4. False crisis

Question Type: MCQ Question ID: 810592260 Status: Answered

Chosen Option: 3

# Q.20 As per Kubler-Ross' stages of grieving, refusing to believe that loss is happening/has happened is called:

Ans 1. Denial

- 2. Acceptance
- 3. Bargaining
- 4. Depression

Question Type: MCQ Question ID: 810592269 Status: Answered Chosen Option: 3

Q.21 The specific gravity of the urine normally ranges approximately from:

Ans 1.1.8 to 2.0

- 2. 0.75 to 1.00
- 3. 1.01 to 1.025
- 4. 1.5 to 1.8

Question Type: MCQ Question ID: 810592276 Status: Answered

Chasen Option: 3

#### Q.22 What does the term Chellosis mean?

Ans 1. Inflammation of the tongue

- 2. Cracking of lips
- 3. Bad breath
- 4. Inflammation of the gums

Question Type: MCQ Question D: 810592263 Status: Answered

Q.23 The discolouration that appears in the dependent areas of the body after death is called: 1. livor mortis 2. algor mortis 3. stiff mortis 4. rigor mortis Question Type: MCQ Question ID: 810592271 Status: Answered Chosen Option: 1 Q.24 Under normal circumstances, concentration of oxygen in inspired air is about per cent. Ans 1.21 2.29 3,100 Question Type: MCQ Question ID: 810592246 Status: Answered Chosen Option: 1 enema is also called antispasmodic enema. Q.25 Ans 1. Carminative 2. Antihelminthic 3.01 4. Cold Question Type: MCQ Question ID: 810592256 Status: Answered Chosen Option: 1 Q.26 Movement of the joints away from the mid-line of the body is called: Ans 1. Abduction 2. Adduction 3. Adhesion 4. Addiction Question Type: MCQ Question ID: 810592250 Status: Answered Chosen Option: 1

### Q.27 Stiffness in the body that occurs after 2 to 4 hrs after death is called:

Ans 1. stiff mortis

- 2. rigor mortis
- 3. algor mortis
- 4. livor mortis

Question Type: MCQ Question ID: 810592270 Status: Answered

Chosen Option: 2

### Q.28 What is the approximate normal level of haematocrit/packed cell volume in men?

Ans 1.5% to 15%

- 2, 40 % to 50 %
- 3. 20 % to 35 %
- 4.60% to 70%

Question Type: MCQ Question ID: 810592264 Status: Answered Chosen Option: 2

#### Q.29 Absorptive dressings are intended to:

Ans 1, absorb nutrients for the wound

- 2, remove drainage from the bed sore
- 3. absorb blood from veins
- 4. gather moisture from the atmosphere to keep the wound cool

Question Type: MCQ Question ID: 810592265 Status: Answered

Chosen Option: 2

## Q.30 Breathing that is normal in rate and depth is called:

Ans 1. bradypnoea

- 2. eupnoea.
- 3. tachypnoea
- 4. apnoes

Question Type: MCQ Question ID: 810592266 Status: Answered

\_\_\_\_ is the process of introducing a disinfectant solution to the internal environment of the body when someone passes away. Ans 1. Rinsing 2. Embacterium 3. Embalming 4. Revaccination Question Type: MCQ Question ID: 810592273 Status: Not Answered Chosen Option: --Q.32 The site of pulse in the neck is called: Ans 1-Radial 2. Carotid 3. Temporal 4. Popliteal Question Type: MCQ Question ID: 810592249 Status : Answered Chasen Option: 2 Q.33 The fever in which temperature remains above normal throughout the day and fluctuate more than 2 degree Fahrenheit is known as \_ 1. remittent 2, inverted 3. lysis 4, intermittent Question Type: MCQ Question ID: 810592241 Status: Answered Chosen Option: 4 Q.34 Which of the following equipment is used for the examination of the ear? Ans 1. Proctoscope 2. Otoscope 3. Laryngoscope 4. Ophthalmoscope Question Type: MCQ Question ID: 810592278 Status: Answered Chosen Option: 2

Q.35 The main intracellular cation is:	16 TO	
2. Chloride		
3. Potassium		
4. Halide	Oh.	
25	200 200 200 200	Ť
SV	Question Type: MCQ Question ID: 810592257	1
	Status : Answered	
- J	Chosen Option : 3	
Q.36 Which of the following organs is one	of the primary regulator of body fluid and	
electrolyte balance? Ans 1. Stomach		
2. Intestine		
3. Lungs	60	
4. Kidney		
1	105 - CA	_
I DIV	Question Type: MCQ Question ID: 810592274	
VL, 1	Status : Answered	
	Chasen Option : 4	
4. Stage II	No.	_
	Guestina Tuna MOO	
	Question Type: MCQ	
, 5510.	Question ID : 810592248 Status : Answered	
, FESSIO.	Question ID: 810592248	
Q.38 Intravenous solution of 0.45% sodium	Question ID : 810592248 Status : Answered Chosen Option : 3	_
Ans 1. isotonic	Question ID : 810592248 Status : Answered Chosen Option : 3	5
Ans 1. isotonic 2. hypotonic	Question ID : 810592248 Status : Answered Chosen Option : 3	5
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3	5
Ans 1. isotonic 2. hypotonic	Question ID : 810592248 Status : Answered Chosen Option : 3	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID: 810592248 Status: Answered Chosen Option: 3  m chloride is a/an solution.  Question Type: MCQ	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3  m chloride is a/an solution.  Question Type : MCQ Question ID : 810592244	
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID: 810592248 Status: Answered Chosen Option: 3  m chloride is a/an solution.  Question Type: MCQ	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3  Market Status : Answered Chosen Option : 3  Question Type : MCQ Question ID : 810592244 Status : Answered	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3  Market Status : Answered Chosen Option : 3  Question Type : MCQ Question ID : 810592244 Status : Answered	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3  Market Status : Answered Chosen Option : 3  Question Type : MCQ Question ID : 810592244 Status : Answered	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3  Market Status : Answered Chosen Option : 3  Question Type : MCQ Question ID : 810592244 Status : Answered	5,
Ans 1. isotonic 2. hypotonic 3. colloid	Question ID : 810592248 Status : Answered Chosen Option : 3  Market Status : Answered Chosen Option : 3  Question Type : MCQ Question ID : 810592244 Status : Answered	5,

## Q.39 Lack of oxygen in the blood stream is called:

Ans 1. Cyanosis

- 2. Hypoxaemia
- 3. Hypoxia
- 4. Anoxaemia

Question Type: MCQ Question ID: 810592261 Status: Answered

Chosen Option: 2

# Q.40 Which of the following tests need to be performed before radial artery cannulation to evaluate radial and ulnar arterial patency?

Ans 1. Allen's test

- 2. Capillary refill test
- 3. Coop's test
- 4. Buergeor's test

Question Type: MCQ Question ID: 810592279 Status: Answered

Chasen Option: 1

Section : Community Health Nursing-I

#### Q.1 What is the minimum contact time required for the chlorination of water to take place?

Ans 1, 30 minutes

- 2, 60 minutes
- 3, 10 minutes
- 4.90 minutes

Question Type: MCQ Question D: 810592283 Status: Answered

Chosen Option: 1

## Q.2 In which year was the Rashtriya Swasthya Bima Yojana (RSBY) introduced?

Ans 1.2005

2,2006

3.2008

4.2007

Question Type : MCQ Question ID : 810592289 Status : Answered

#### Q.3 What was the theme of World Health Day 2019?

Ans 1: Healthy heart beat: healthy blood pressure

- 2. Universal health coverage: everyone, everywhere
- 3. Halt the rise: beat diabetes
- 4. Food safety

Question Type: MCQ Question ID: 810592288 Status: Answered

Chosen Option: 2

#### Q.4 Koplik's spots are the clinical feature of:

- Ans 1. Pertussis
  - 2. Cholera 3. Measles
  - 4. Chickenpax

Question Type: MCQ Question ID: 810592284 Status : Answered

Chosen Option: 3

#### Q.5 The denominator used to calculate crude birth rate is:

- 1. school-going population
- 2. mid year population in that year
- 3. live births in that year
- 4. population aged 18 years or above

Question Type: MCQ Question ID: 810592290 Status: Answered

Chosen Option: 3

#### Q.6 The number of all current cases of a disease at one point of time is called:

1. period prevalence

- 2. point incidence
- 3. point prevalence

4. time prevalence

Question Type: MCQ Question ID: 810592285 Status: Answered

Q.7 One CHC covers a population of \_\_\_\_\_ in hilly areas.

Ans 1.50000

2,10000

3.80000

4,30000

Question Type: MCQ Question ID: 810592282 Status: Answered

Chosen Option: 3

Q.8 The constant presence of a disease or infection within a given geographic area is called:

Ans 1. Endemic

2. Epidemic

3. Sporadio

4. Pandemic

Question Type: MCQ Question ID: 810592287 Status: Answered

Chasen Option: 1

Q.9 Hardness of water is expressed as:

Ans 1. PPL

2. mg%

3. mg/L

4. mEq/ML

Question Type: MCQ Question ID: 810592286 Status: Answered

Chasen Option: 3

Q.10 The route of administration of hepatitis 8 vaccine is:

Ans 1. Intrathecal

2. Intramuscular

3. Subcutaneous

4. intradermal

Question Type: MCQ Question D 810592281 Status: Answered

Chosen Option: 2

Section: Nutrition

## Q.1 Which of the following nutrients provides energy to the body?

- Ans 1. Fot
  - 2. Zinc
  - 3. Vitamin A
  - 4, Vitamin D

Question Type: MCQ Question ID: 810592296 Status: Answered

Chosen Option: 1

#### Q.2 In which organ does the absorption of iron takes place?

- Ans 1. Colon
  - 2. Liver
  - 3. Duodenum in small intestine
  - 4. Stomach

Question Type: MCQ Question ID: 810592295 Status : Answered

Chosen Option: 3

#### Q.3 Which of the following is an essential amino acid?

- 1. Pyridoxine
- 2. Thiamine
- 3. Valine
- 4. Niacin

Question Type: MCQ Question ID: 810592291 Status: Answered

Chosen Option: 3

## Q.4 Which of the following is precursor to vitamin A?

- 1. Pyridaxine
- 2. Thiamine 3. Retinol
- 4. Beta-carotene

Question Type: MCQ Question ID: 810592299 Status: Answered

# Q.5 Which of the following digestive enzymes present in gastric juice is primarily responsible for breaking down proteins?

Ans 1

- 1. Peptidases
- Pepsin
   Trypsin
- 4. Chymotrypsin

Question Type : MCQ Question ID : 810592294 Status : Answered

Chosen Option: 2

#### Q.6 Emulsification of lipids in the small intestine requires:

Ans 1. gastric lipase

- 2. bile salts
- 3. Pepsin
- 4. pancreatic lipase

Question Type: MCQ Question ID: 810592300 Status: Answered

Chosen Option : 4

#### Q.7 Vitamin B1 is also known as:

Ans 1. Thiamine

- 2. Niacin
- 3. Pyridaxine
- 4. Riboflavin

Question Type: MCQ

Question ID: 810592292

Status: Answered

Chosen Option: 1

#### Q.8 Calories generated per gram of fat is approximately:

Ans 1.15 Kcals

- 2.4 Kcals
- 3.9 Kcals
- 4.1 Kcals

Question Type: MCQ

Question D: 810592297

Status: Answered

Ans 1.70 % to 80 %	o diseases should ideally get of hy fats.	CA	
2. 20 % to 30 %	70°		
3.50 % to 60 % 4.5 % to 10 %	~O/2	THE STATE OF THE S	
4.3410104	20	'O.	200
25V	7/4	Question Type: MCQ	1
	5	Question ID : 810592293 Status : Answered	
	17	Chosen Option : 3	
A 10 mm v 2 mm v		*******	
Q.10 Which of the following trace eler Ans 1. Cobalt	nents is essential for the synthesis o	f insulin?	
2. Zinc			
3. Sodium		CO.	
4. Iron	e C	KC C	
	1020 C	-2	-0
P.	10),	Question Type: MCQ Question ID: 810592298	
VL,		Status : Answered	
	19,	Chosen Option : 1	
	,67	- XV	
Section : Medical Surgical Nursing			
Q.1 The name of the surgery in which gall bladder and bile ducts is calle	i there is removal of duodenum, head o ed:	of pancreas,	
Ans 1. lumpectorny	4	C.C.	
2. discectomy			
3. appendectomy		7. S.J.	
4. pancreatoduodenectomy	2)		
. 69	-1/2	Question Type: MCQ	
( )	10,	Question D: 810592333	
	c5)	Status : Answered	- 4
200	-67	Chosen Option : 4	10
	an eye alters the size of the pupil to re	egulate the	25
Q.2 Which of the following parts of a	08	all III	
amount of light entering the eye		71.	
amount of light entering the eye  Ans 1. Lens			
Ans 1. Lens 2. Retina	.07	La.	
Ans 1. Lens 2. Retina 3. Comea	25/0	MAL	
Ans 1. Lens 2. Retina	(£55)OT	ONAL	
Ans 1. Lens 2. Retina 3. Comea	-OFF:55107	Question Type: MCQ	3
Ans 1. Lens 2. Retina 3. Comea	OROFE SSIO	Question ID : 810592316	J.P.
Ans 1. Lens 2. Retina 3. Comea	PROFFESSIOT		AIJP.
Ans 1. Lens 2. Retina 3. Comea	PROFFESSIOT	Question ID : 810592316 Status : Answered	AIJP.
Ans 1. Lens 2. Retina 3. Comea	P.ROFFESSIO	Question ID : 810592316 Status : Answered	AIJP.

Q.3 An individual with which of the following blood groups is a universal donor? 2. AB +ve 3.0-ve 4. B + ve Question Type: MCQ Question ID: 810592311 Status: Answered Chosen Option: 3 \_ cranial nerve. Q.4 Bell's Palsy is a disorder of the \_\_\_ Ans 1.9th 2.7th 3.3rd 4.5th Question Type: MCQ Question ID: 810592307 Status : Answered Chosen Option: 2 Q.5 Which among the following is a colloid solution? 1.25 % dextrose 2. 0.45 % normal saline 3. dextran 4. 0.9 % normal saline Question Type: MCQ Question ID: 810592327 Status: Answered Chosen Option: 3 Q.6 Which type of solution causes water to shift from the cells into the plasma? 1. Hypotonic 2. Acidic 3. Alkaline 4. Hypertonic Question Type: MCQ Question ID: 810592326 Status: Answered Chosen Option: 4

#### Q.7 The loss of ability to recognise objects is called:

- Ans 1/Alexia
  - 2. Ataxia
  - 3. Agnosia
  - 4. Dysarthria

Question Type: MCQ Question ID: 810592308 Status: Answered

Chosen Option: 3

## Q.8 The most serious complication of deep vein thrombosis (DVT) is a blockage known

- Ans 1. gangrenous development of veins
  - 2. formation of venous ulcers
  - 3. pulmonary embolism
  - 4. chronic occlusion of veins

Question Type: MCQ Question ID: 810592330 Status: Answered Chosen Option: 3

## Q.9 After a renal transplant, the rejection that occurs within minutes is called:

- 1. chronic rejection
- 2. hyper acute rejection
- 3. sub-acute rejection
- 4. acute rejection

Question Type: MCQ Question ID: 810592337 Status: Answered

Chosen Option: 4

#### Q.10 The voice box is known as:

Ans 1. Pharynx

- 2. Larynx
- 3. Diaphragm
- 4. Branchioles

Question Type: MCQ Question D: 810592309

Status: Answered

### Q.11 The drugs used to constrict the pupils are:

Ans 1 miotics

- 2. antibiotics
- 3. sulphonamides
- 4. mydriatics

Question Type: MCQ Question ID: 810592328 Status: Answered

Chosen Option: 4

# Q.12 In acute pancreatitis, the levels of which of the following enzymes remain elevated for 7-14 days?

Ans 1. Serum alkylane phosphatase

- 2. Urine amylase
- 3. Serum lipose
- 4. Serum amylase

Question Type: MCQ Question ID: 810592339 Status: Answered

Chasen Option: 4

#### Q.13 Tonometry is the method of measuring the:

Ans 1. pressure inside the ear

- 2. pressure inside the lungs
- 3. blood pressure
- 4. intraocular pressure.

Question Type: MCQ Question ID: 810592321 Status: Answered

Chasen Option: 4

## Q.14 Which of the following drugs is used for the dilation of pupil?

Ans 1. Tropicamide

- 2. Gentamicin
- 3. Betamethasone
- 4. Levofloxacin

Question Type: MCQ

Question D: 810592317

Status: Answered

Q.15 What is the minimum possible score of Glasgow Coma Scale? Ans 1.0 2.3 3.2 4.1 Question Type: MCQ Question ID: 810592314 Status: Answered Chasen Option: 2 Q.16 While doing colostomy irrigation, the height of the irrigation bag should be around: Ans 1.24 inches 2, 12 inches 3.18 inches 4.36 inches Question Type: MCQ Question ID: 810592319 Status : Answered Chosen Option: 3 Q.17 Painful swallowing is known as: Ans 1. dysphasia 2. ataxia 3. odynophagia 4. dyspepsia Question Type: MCQ Question ID: 810592335 Status: Answered Chasen Option: 1 Q.18 The cell-mediated immunity is carried out by: Ans 1.8 lymphocytes 2. CD4 cells 3. T lymphocytes 4. Red blood cells Question Type: MCQ Question ID: 810592324 Status: Answered Chasen Option: 3

# Q.19 The loss of urine resulting from cognitive or environmental factors is the manifestation of:

Ans 1, reflex incontinence

- 2. urge incontinence
- 3. overflow incontinence.
- 4. functional incontinence

Question Type: MCQ Question ID: 810592332 Status: Answered

Chosen Option: 1

#### Q.20 The most common lung cancer seen in non-smokers is:

Ans 1. large cell carcinoma

- 2. squamous cell cardinoma
- 3. adenocarcinoma
- 4. small cell carcinoma

Question Type: MCQ Question ID: 810592310 Status: Answered Chosen Option: 2

Q.21 \_\_\_\_\_ is a radiological examination using a minimal and safe amount of radiation to allow visualisation of breast masses.

Ans 1. Anglogram

- 2. Computed tomography scan
- 3. Lymphangiogram
- 4. Mammogram

Question Type: MCQ Question ID: 810592322 Status: Answered

Chosen Option: 4

#### Q.22 The lateral S-shaped curvature of the spine is called:

Ans 1. Musculosis

- 2. Kyphosis
- 3. Lordosis
- 4. Scoliosis

Question Type: MCQ Question ID: 810592340

Status : Answered

#### Q.23 Which of the following drugs is a proton pump inhibitor?

- Ans 1. Ranitidine
  - 2. Pantoprazole
  - 3. Sucralfate
  - 4. Famotidine

Question Type: MCQ Question ID: 810592336 Status: Answered

Chosen Option: 2

#### Q.24 The most common side effect of thrombolytic therapy is:

- Ans 1. acute renal failure
  - 2. metabolic abnormalities
  - 3. compartment syndrome
  - 4. internal bleeding

Question Type: MCQ Question ID: 810592305 Status : Answered

Chosen Option: 4

#### Q.25 Which one of the following procedures is used to correct otosclerosis?

- Ans 1. Mastoidectomy
  - 2. Myringoplasty
  - 3. Stapedectomy
  - 4. Myringatomy

Question Type: MCQ Question ID: 810592329 Status: Answered

Chosen Option: 2

## Q.26 Which of the following is NOT a manifestation of interstitial cystitis (IC)?

- 1. Incontinence
- 2. Frequency
- 3. Urgency
- 4. Pelvis pain

Question Type: MCQ Question ID: 810592331

Status: Answered

Q.27 The disease that occurs due to the defect in the genes of one or other parent and is transmitted to the offspring is known as \_\_\_\_\_ disease/disorder.

Ans 1. organic

- 2. congenital
- 3. allergic
- 4. hereditary

Question Type : MCQ Question ID : 810592301 Status : Answered

Chosen Option: 4

#### Q.28 Which of the following enzymes converts fats into fatty acids and glycerol?

Ans 1. Lipane

- 2. Salivary amylase
- 3. Trypsinogen
- 4. Bile

Question Type: MCQ Question ID: 810592312 Status: Answered

Chasen Option: 1

Q.29 The type of incontinence in which there is constant dribbling of urine and is associated with urinating frequently and in small amount is called:

Ans 1, overflow incontinence

- 2. functional incontinence
- 3. urge incontinence
- 4, stress incontinence

Question Type: MCQ Question ID: 810592306 Status: Answered

Chosen Option: 2

Q.30 Barium enema is used mainly for radiological examination of the:

Ans 1. oral cavity

- 2. heart
- 3. brain
- 4. colon

Question Type: MCQ

Question ID: 810592334

Status: Answered

#### Q.31 The antidote of warfarin is:

- Ans 1. Protamine sulphate
  - 2. Heparin
  - 3. Acetyl cysteine
  - 4. Vitamin K

Question Type: MCQ Question ID: 810592315 Status: Answered

Chosen Option: 4

#### Q.32 The presence of stones in the urinary tract is called:

- Ans 1. Stonelithiasis
  - 2. Kideneylithiasis
  - 3. Cholelithiasis
  - 4. Urolithiasis

Question Type: MCQ Question ID: 810592338 Status : Answered Chosen Option: 4

Q.33 The movement of particles from region of higher concentration to region of lower concentration is called:

- 1. Osmosis
- 2. Hydrolysis
- 3. Filtration
- 4. Diffusion

Question Type: MCQ Question ID: 810592304 Status: Answered

Chosen Option: 4

#### Q.34 Haemophilia is associated with:

- Ans 1. Chromosome 11
  - 2. Chromosome 21
  - 3. Y chromosome
  - 4. X chromosome

Question Type: MCQ Question D: 810592323 Status: Answered

Q.35 Using the 'rule of nine', estimated burn size in an adult having burn injury to chest and stomach is \_\_\_\_\_ per cent.

Ans 1.36
2.9
3.27

Question Type: MCQ Question ID: 810592318 Status: Answered Chosen Option: 4

Q.36 Which of the following results from severe allergic reaction producing overwhelming systemic vaso dilation and relative hypovolaemia?

Ans 1. Hypovolaemic shock

4.18

- 2. Neurogenic shock
- 3. Septic shock
- 4. Anaphylactic shock

Question Type: MCQ
Question ID: 810592302
Status: Answered
Chosen Option: 4

Q.37 Diabetes insipidus is caused by the deficiency of which of the following hormones?

Ans 1. Insulin

- 2. Antidiuretic
- 3. Glucagon
- 4. Renin

Question Type : MCQ Question ID : 810592320 Status : Answered

Chosen Option: 2

Q.38 The term pyrosis is related to:

Ans 1. Dysphagia

- 2. Pus formation
- 3. Heartburn
- 4. Dyspepsin

Question Type: MCQ Question ID: 810592313 Status: Answered

Ans 1. Neuroblastoma 2. Liposarcoma	dular tissue cancer?	All Co	
Osteogenic sarcoma     Adenocarcinoma	O. P.C.	THE STATE OF THE S	
A. Plotificationia	, CO.		~
S	76	Question Type: MCQ Question ID: 810592325	800
101c	45,	Status : Answered Chosen Option : 2	
Q.40 While assessing the level of co	ansciousness of a nation) using	Glasgow Coma Scale	
which of the following score r	epresents the best motor respo	nse from the patient?	
2.5			
3.6	.61	GO,	
4.3			P
	18-	Question Type: MCQ	
- The	4	Question ID: 810592303	
.,O'	all a	Status : Answered Chosen Option : 3	
ent on the control was any state of	,6	70	_
Section : Psychiatric Nursing	25		-0
Q.1 The act of purging or purificat  Ans 1. Cataplexy	tion of emotions is called:		
2. Compulsion	Property of the second	35	
3. Confabulation		11/10 72,	
4. Catharais		L. YO	
	300	Question Type: MCQ	
1		Question ID : 810592341 Status : Answered	
-0,		Chosen Option : 4	
Q.2 A person suffering from	, a severe anxiety disorder, is ab	ele to speak freely with	80
Q.2 A person suffering from certain people only and is not social groups such as classma	able to speak with others, espec ites at school.	cially with certain	
Ans 1. Epilepsy	6/	1by 70,	
Selective mutism		OF ST	
3. Aphasia		SI AIR	
4. Mutism		,	
CKI.		Question Type: MCQ	0
a R		Question ID : 810592344 Status : Answered	171.
		Chosen Option : 4	
		C71 - C75"	
180		1.	

Q.3 According to Erikson's eight stages of development, initiative vs. guilt takes place

Ans 1.10 - 15 years

2.3 - 5 years

3.20 - 25 years

4.13 - 19 years

Question Type : MCQ Question ID : 810592350 Status : Answered

Chosen Option: 2

#### Q.4 False sensory perception without real external stimulus is known as:

Ans 1. Thought insertion

- 2. Illusions
- 3. Delusions
- 4. Hallucination

Question Type: MCQ Question ID: 810592342 Status: Answered Chosen Option: 4

Q.5 Which one of the following is derived from the plant 'Cannabis Sativa'?

Ans 1. Ganja

- 2. Opium
- 3. Morphine
- 4. Cocaine

Question Type: MCQ Question ID: 810592347 Status: Answered

Chasen Option: 2

#### Q.6 The La Belle indifference is related to:

Ans 1. Phobic anxiety

- 2. Conversion reaction
- 3. Anxiety disorder
- 4. Obsession compulsions disorder

Question Type: MCQ Question ID: 810592345 Status: Answered

#### Q.7 Which of the following is expected in a patient who is diagnosed with an organic mental disorder?

Ans 1. Appropriate behaviour

- 2. Disorganisation of thoughts
- 3. Intact memory
- 4. Orientation to person, place and time

Question Type : MCQ Question ID : 810592349 Status : Answered

Chosen Option: 2

# Q.8 Which of the following is NOT a sign/symptom of the obsessive-compulsive disorder?

Ans 1. Fear of germs or dirt

- 2. Compulsive acts
- 3. No fear of self-harm
- 4. Obsessive thoughts

Question Type: MCQ Question ID: 810592348 Status: Answered

Chosen Option: 3

# Q.9 The disulphiram therapy is indicated in:

Ans 1. Acute intoxication

- 2. Chronic alcoholism
- 3. Cannabis dependence
- 4. Anxiety disorder

Question Type: MCQ Question ID: 810592346 Status: Answered

Chosen Option: 2

#### Q.10 A patient admitted in the psychiatric ward refused to eat her lunch stating that the food is poisoned. This kind of response is an example of:

Ans 1. Hallucination

- 2. Delusions
- 3. Sympathy
- 4. Illusions

Question Type: MCQ Question ID: 810592343

Status : Answered

Chosen Option: 2

Section: Midwifery and Gynaecological Nursing

#### Q.1 The condition where the uterus turns inside out is called:

Ans 1. Anteversion

- 2. Uterine Inversion
- 3. Prolapse
- 4. Retroversion

Question Type: MCQ Question ID: 810592384 Status: Answered

Chosen Option: 2

#### Q.2 Which one of the following is seen in preeclampsia?

- Ans 1. Proteinuria
  - 2. Hypotension
  - 3. Facial hair
  - 4. Weight loss

Question Type: MCQ Question ID: 810592374 Status : Answered

Chasen Option: 1

# Q.3 The settling of foetal head into the brim of the pelvis is called:

- 1. Engagement
- 2. Crowning of head
- 3. Lightening
- 4. Descent

Question Type: MCQ Question ID: 810592380 Status: Answered

Chosen Option: 1

# Q.4 The most common cause of non-engagement at term in primigravida is:

1. Breech presentation

- 2. Brow presentation
- 3. Hydramnios
- 4. Cephalopelvic disproportion (CPD)

Question Type: MCQ Question ID: 810592388 Status: Answered

# Q.5 The first stage of labour is characterised by:

Ans 1: crowning of the head

- 2. delivery of the placenta
- 3. dilatation of cervix
- 4. expulsion of the foetus till the placenta

Question Type: MCQ Question ID: 810592379 Status: Answered

Chosen Option: 3

# Q.6 Which of the following is the most important tumour marker to diagnose carcinoma of ovary?

Ans 1. CA 125

- 2. Serum human chorlonic gonadotropin
- 3. Human placental lactogen
- 4. Serum alpha fetoprotein

Question Type: MCQ Question ID: 810592368 Status: Answered Chosen Option: 1

Q.7 Postpartum haemorrhage is the condition in which there is loss of more than \_\_\_\_\_\_ ml vaginal blood.

Ans 1.10

2.500

3.100

4,50

Question Type: MCQ Question ID: 810592386 Status: Answered

Chosen Option: 2

#### Q.8 What is the correct sequence of mitosis?

Ans 1. Prophase, Metaphase, Anaphase, Telophase

- 2. Anaphase, Prophase, Metaphase, Telophase
- 3. Telophase, Anaphase, Prophase, Telophase
- 4. Metaphase, Anaphase, Prophase, Telophase

Question Type: MCQ Question ID: 810592365

Status : Answered

Q.9 The approximate average weight of placenta at birth is:

Ans 1,508 g

2.300 g

3.600 g

4, 400 g

Question Type: MCQ Question ID: 810592361 Status: Answered

Chosen Option: 1

Q.10 The suture that separates the parietal bone from the tabular portion of the occipital bone is called:

Ans 1. Sagittal auture

- 2. Lambdoidal suture
- 3. Frontal suture
- 4. Coronal suture

Question Type: MCQ Question ID: 810592381 Status: Answered

Chasen Option: 2

Q.11 Which of the following is NOT a feature of HELLP syndrome?

Ans 1. Haemolytic anaemia

- 2. Raised liver enzymes
- 3. Eosinophilia
- 4. Thrombocytopenia

Question Type: MCQ Question ID: 810592369 Status: Answered

Chasen Option: 3

Q.12 Post-term pregnancy is a pregnancy which continues beyond:

Ans 1.294 days

2, 250 days

3. 200 days

4. 170 days

Question Type: MCQ

Question ID: 810592370

Status : Answered

# Q.13 The correct sequence of development of puberty in girls is:

Ans 1: Thelarche, Pubarche, Menarche

- 2. Pubarche, Menarche, Thelarche
- 3. Thelarche, Menarche, Pubarche
- 4. Menarche, Pubarche, Theiarche

Question Type: MCQ Question ID: 810592389 Status: Answered

Chosen Option: 1

#### Q.14 Peg cells are seen in the:

- Ans 1. Fallopian tubes
  - 2. Intestine
  - 3. Vagina
  - 4. Stomach

Question Type: MCQ Question ID: 810592351 Status: Answered

Chasen Option: 1

# Q.15 Of the 6-7 million occytes available, how many are released during ovulation?

Ans 1, 3000 to 4000

- 2. 400 to 500
- 3.100 to 200
- 4.2000 to 3000

Question Type: MCQ Question ID: 810592372 Status: Answered

Chosen Option: 2

Q.16 The darkening of the skin over the forehead, bridge of nose or cheekbones during pregnancy is called:

Ans 1. Chloasma

- 2. Hegar's sign
- 3. Chadwick's sign
- 4. Linea nigrea

Question Type: MCQ

Question D: 810592382

Status: Answered

# Q.17 The shape of the brim in anthropoid pelvis is:

- Ans 1 square
  - 2. oval
  - 3. well-rounded
  - 4. triangular with base towards sacrum

Question Type: MCQ Question ID: 810592375 Status: Answered

Chosen Option: 2

# Q.18 The onset of menstruation is called:

- Ans 1. Menarche
  - 2. Ovarian cycle
  - 3. Menopause
  - 4. Andropouse

Question Type: MCQ Question ID: 810592356 Status : Answered

Chosen Option: 1

#### Q.19 Which of the following indicates relationship of long axis of the feetus to that of mother?

- 1. Foetal position
- 2. Foetal presentation
- 3. Foetal lie
- 4. Foetal attitude

Question Type: MCQ Question ID: 810592390 Status: Answered

Chosen Option: 4

# Q.20 The outer most membrane of placenta is called:

- Ans 1. Meningitis
  - 2. Chorion 3. Amnion
  - 4. Yolk sac

Question Type: MCQ Question D: 810592355 Status: Answered

# Q.21 The graphical record of maternal and foetal data against time during labour on a single sheet of paper is called:

Ans 1. Ultrasonogram

- 2. Partogram
- 3. Cardiotocogram
- 4. Tocogram

Question Type : MCQ Question ID : 810592362 Status : Answered

Chosen Option: 2

#### Q.22 The most common genital prolapse is:

Ans 1. Rectocoele

- 2. Enterocoele
- 3. Cystocoele
- 4. Procidentia

Question Type: MCQ Question ID: 810592366 Status: Answered

Chosen Option: 3

# Q.23 A normal umbilical cord contains:

Ans 1, one artery and five veins

- 2. two arteries and one vein
- 3. five arteries and two veins
- 4. two arteries and ten veins

Question Type : MCQ Question ID : 810592360 Status : Answered

Chosen Option: 2

# Q.24 The first perception of active foetal movement felt by the mother during pregnancy is known as:

Ans 1. Quickening

- 2. Hastening
- 3. Engagement
- 4. Lightening

Question Type: MCQ Question ID: 810592383

Status : Answered

# Q.25 Inflammation of the fallopian tube is called:

- Ans 1, Vaginitis
  - 2. Salpingitis
  - 3. Endometritis
  - 4. Cervicitis

Question Type: MCQ Question ID: 810592385 Status: Answered

Chosen Option: 2

# Q.26 The early puerperium extends:

- Ans 1. until the first week of postparturn
  - 2. until the thirteen weeks of postpartum
  - 3. up to first year of delivery
  - 4. until twelve weeks of postpartum

Question Type: MCQ Question ID: 810592358 Status : Answered

Chosen Option: 1

# Q.27 The ovarian cycle is initiated by:

- Ans 1. Endorphins
  - 2. Follicle stimulating hormone
  - 3. GeEstrogen
  - 4. Progesterone

Question Type: MCQ Question ID: 810592376 Status: Answered

Chosen Option: 2

of gestation, the height of the uterus is at the level of umbilicus. Q.28 At about \_\_\_

Ans 1.20-22 weeks

2.3-5 weeks

3.10 - 12 weeks

4.6-8 weeks

Question Type: MCQ Question ID: 810592387

Status: Answered

# Q.29 During the active phase of labour, the cervical dilatation per hour in primigravidas is approximately:

Ans 1.25 cm

2.1.9 cm

3.1.2 cm

4.23 cm

Question Type: MCQ Question ID: 810592378 Status: Answered

Chosen Option: 3

#### Q.30 The length of the fallopian tube ranges from:

Ans 1.7-12 cm

2.22-27 cm

3.28-31 cm

4, 2-7 cm

Question Type: MCQ Question ID: 810592352 Status: Answered

Chasen Option: 1

# Q.31 Oxygenated blood from placenta returns to the foetus via the

Ans 1. Umbilical vein

2. Superior verta cava

3. Ductus arteriosus

4. Inferior vena cava

Question Type: MCQ Question ID: 810592377 Status: Answered

Chosen Option: 1

# Q.32 Which of the following hormones is increased in Polycystic Ovarian Syndrome?

Ans 1. Luteinising Hormone (LH)

2. Thyroid Stimulating Harmone (TSH)

3.17-OH progesterone

4. Follicle Stimulating Hormone (FSH)

Question Type: MCQ

Question D: 810592367

Status : Answered

# Q.33 What is the ideal average newborn's head circumference at birth?

Ans 1.35 cm

2.55 cm

3,75 cm

4.15 cm

Question Type: MCQ Question ID: 810592363 Status: Answered

Chosen Option: 1

#### Q.34 Ovulation in a female with a 36 days cycle occurs between:

Ans 1.8th - 12th day

2.30th - 34th day

3.14th - 18th day

4. 20th - 24th day

Question Type: MCQ Question ID: 810592353 Status: Answered

Chosen Option: 4

#### Q.35 The most common site of ectopic pregnancy is:

Ans 1. Abdomen

- 2. ampullary region in the fallopian tube
- 3. Cervix
- 4. Ovary

Question Type: MCQ

Question ID: 810592373 Status: Answered

Chosen Option: 2

# Q.36 The uterine fibroid is associated with:

Ans 1. Ovarian cancer

2. PD

3. Amenorrhoea

4. Endometriosis

Question Type: MCQ Question ID: 810592357

Status: Answered

# Q.37 Urine formation usually begins towards the end of the \_\_\_\_\_ and continues throughout foetal life.

Ans 1.2-3 weeks

- 2, 21-22 weeks
- 3.11-12 weeks
- 4.3-5 weeks

Question Type: MCQ Question ID: 810592371 Status: Answered

Chosen Option: 3

#### Q.38 The normal APGAR score of a new born is:

Ans 1.3 to 4

- 2.7 and above
- 3. below 3
- 4.4 to 6

Question Type: MCQ Question ID: 810592364 Status: Answered

Chasen Option: 2

# Q.39 The manoeuver commonly used to manage shoulder dystocia is:

Ans 1. MacRobert's Mangeuver

- 2. Jeff Marshal Manoeuver
- 3. McMilan Manoeuver
- 4. Rossete Manoeuver

Question Type: MCQ Question ID: 810592359 Status: Answered

Chosen Option: 1

# Q.40 Which of the following is the common site of fertilization?

Ans 1. Ampulla

- 2. isthmic
- 3. Infundibulum
- 4. Interstitial

Question Type: MCQ Question ID: 810592354

Status : Answered

Chosen Option: 1

Section : Paediatric Nursing

# Q.1 The Baby-friendly Hospital Initiative (BFHI) was launched jointly by:

Ans 1. WHD and Red Cross

- 2. WHO and FAO
- 3. UNICEF and FAO
- 4. UNICEF and WHO

Question Type: MCQ Question ID: 810592393 Status: Answered

Chosen Option: 4

# Q.2 An injury to the upper brachial plexus results in:

- Ans 1. Klimke's palsy
  - 2. Phrenic nerve palsy.
  - 3. Erb's palsy
  - 4. Facial palsy

Question Type: MCQ Question ID: 810592394 Status : Answered

Chosen Option: 3

# Q.3 Which of the following is the most common cause of ophthalmic neonatorum?

1. Neisseria gonorrhoea

- 2. Staphylococcus aureus
- 3. Candida albicans
- 4. Streptococcus

Question Type: MCQ Question ID: 810592395 Status: Answered Chasen Option: 1

Q.4 Which of the following is NOT a complication of measles?

1. Atrial Septal Defect

- 2. Conjunctivitis
- 3. Laryngitis
- 4. Encephalitis

Question Type: MCQ Question ID: 810592392 Status: Answered

# Q.5 Which of the following conditions can result in a hairy patch on the back of children?

Ans 1. Hydrocephalus

- 2. Epilepsy
- 3. Spina bifida occulta
- 4. Ricket

Question Type: MCQ
Question ID: 810592399
Status: Answered
Chosen Option: 3

#### Q.6 Which one of the following is NOT a characteristic of Attention Deficit Hyperactivity Disorder (ADHD)?

Ans 1. Overactivity

- 2. impulsivity
- 3. Inattention
- 4. Difficulty in eating

Question Type: MCQ Question ID: 810592400 Status: Answered Chosen Option: 2

#### Q.7 Which of the following is the ideal age for closure of the anterior fontanel of a child?

Ans 1, 18 to 24 weeks

- 2, 6 to 8 weeks
- 3.6 to 8 months
- 4, 18 to 24 months

Question Type : MCQ Question ID : 810592391 Status : Answered

Chosen Option: 4

#### Q.8 The most common type of leukaemia seen in children is:

Ans 1. Acute Myeloid Leukaemia (AML)

- 2. Chronic Myeloid Leukaemia (CML)
- 3. Acute Lymphoblastic Leukaemia (ALL)
- 4. Chronic Lymphoid Leukaemia (CHL)

Question Type: MCQ Question ID: 810592396 Status: Answered

Q.9 Which of the following is NOT a clinical manifestations of Trisomy 21?

Ans 1. Protruding tongue

- 2. Long hands and fingers
- 3. Flat nasal bridge
- 4. Small nose

Question Type: MCQ Question ID: 810592398 Status: Answered

Chosen Option: 4

Q.10 Which of the following is NOT a part of the Tetralogy of Fallot (TOF)?

Ans 1. Right ventricular hypertrophy

- 2. Patent Ductus Arteriosus
- 3. Over-riding of Aorta
- 4. Pulmonary stenosis

Question Type: MCQ Question ID: 810592397

Status : Answered